

CoRe+ Ordering Guide

Table of Contents

Ol Product Listings	3
02 Service Listings	6

O1 Product Listings

Product	Product Code	Description
	COCH602EA1-FL-P07	CoRe+ Wall Mount, 21 ft. cable, LCD Display, RFID reader, network ready
	COCH102AA1-FL-P07	CoRe+ Wall Mount, 25 ft. cable, LCD Display, RFID reader, network ready
	COPS602EA1-FL-P07	CoRe+ Wall Mount, Power Sharing, 21 ft. cable, LCD Display, RFID reader, network ready
O	COPS102AA1-FL-P07	CoRe+ Wall Mount, Power Sharing, 25 ft. cable, LCD Display, RFID reader, network ready
	COBV602EA1-FL-P07	CoRe+ Basic Version – Non-Networked, 21 ft. cable
	COBV1020A1-FL-P07	CoRe+ Basic version - Non-Networked, 25 ft. cable
	CO-PE-000002	CoRe+ pedestal for one or two charging station - GRRV
	CM-F1-GRRV	Cable management system - GRRV

O1 Product Listings

Product	Product Code	Description
	CM-E1-GRRV	Cable management column - GRRV
	C+-BSS-GRRV	CoRe+ bracket, side by side configuration - GRRV
810 810	CM-S1-FL-BCCE	Cable management system sign - FLO - BCCE
	C+V1-PWCK-40	Pedestal cascading mounting bracket with terminal block for up to #4 gauge CU conductors
	C+V1-PWCK-150	Pedestal cascading mounting bracket with terminal block for up to #2/0 gauge CU or AL conductors
	Breaker-40D	Double 40 A breaker for cascading mounting bracket
i ji	C+V1-ANCHOR	CoRe+ pedestal anchor kit for onsite made concrete base

O1 Product Listings

Product	Product Code	Description
EMPLOYEE ONLY °	SIGN-RESE-EMP-EN	Employee Only Parking Sign - English 11.81" x 5.9"
VISITOR ONLY °	SIGN-RESE-VIS-EN	Visitor Only Parking Sign - English 11.81" x 5.9"
EXCEPT ELECTRIC VEHICLE CHARGING	SIGN-RESE-GEN-EN	No Parking except electric vehicle charging Parking Sign - English 11.81" x 23.62"

02 Service Listings

Service	Service Code	Description
Site survey prior to the charging station installation ¹	SP-SS	 Required when the client subscribes to the management service for one or more charging stations for a site for which communication will be done through a 3G/LTE cellular network or through a DSL connection Defines the location of the gateway and the DSL modem (if applicable) to ensure the quality of the communication between components
Local configuration service for all the stations at a site	SP-CONFIG	• Required when the client wants to configure a charging station or a network of charging stations
Communication integration service over an existing LAN ³	SP-TLAN	 Required when the client subscribes to the management service for one or more charging stations for a site where the communication will be integrated to an existing local area network (LAN) Determines the position of the gateway to ensure communication with the charging stations Configures the LAN and puts the communication gateway into operation The gateway is provided by AddÉnergie
Global management service for one station for 1 year ²⁻³	SP-SGG-01	 Required for all charging stations in a management network Includes payment management of the charging service, 24/7 customer service, charging station surveillance, charging station access control for private users through an RFID card and mobile application, operator access to web portal, etc Includes a communication gateway and a 3G/LTE subscription for one site, for as long as the client subscribes to the service Allows to statically limit the charging current of a charging station Allows to dynamically limit the charging current of a group of charging stations Allows charging stations to interface with the existing energy management system of the building to avoid exceeding the chargeable power
Extended warranty for one charging station for 1 year ⁴	SP-GE-C+-01	 Extends the base warranty (of 1 year) of up to 5 years on all hardware components provided by AddÉnergie Covers parts and labor required to repair defective equipment The warranty will be applied on a repair basis (the defective charging station is sent back to AddÉnergie, repaired, and then returned to the client) or replacement (with a charging station refurbished similar to the defective one)

¹ There will be additional charges for any travelling required in order to provide the service.

² For more details, please refer to the detailed terms and conditions of the service.

³ In all cases where the client subscribes to the management service, the client must provide for a PVC case as well as required gateway wiring. Please refer to the Communication Gateway Installation Guide for more details.

⁴ See Warranty Terms and Conditions for more details.



For More Information ⊠ info@flo.com \$ 1-855-543-8356

