

Premium Pedestal

Maximize your installation options to fit your home.


No garage? No problem! Our pedestals are perfect to extend your reach, wherever you park.

All pedestals include corrosion-resistant aluminum, IK10 impact resistance, and a 1-year limited warranty.

- Automatically illuminates when darkness is detected for additional convenience, safety & esthetic.
- Power up other devices & tools with integrated GFCI outlet.
- Built for the outdoors and engineered for resilience with premium, corrosion-resistant aluminum.
- Effortlessly houses conduit and wiring for a sleek installation.

TECHNICAL SPECIFICATIONS

Material	Aluminium
Finish	Powder coat paint
Colour	Deep silver
Mounting configurations	Single charging station only
Lighting	Automatically illuminates in darkness
Integrated GFCI outlet	Yes
Wire conduit	Up to 2 x 1 - 1/2" PVC conduits
Enclosure rating	Type 3R enclosure (rainproof)
ADA compliant	Yes
Impact resistance	IK10
Corrosion resistance	5 Years
Installation bolt configuration	4 anchors
Dimensions (H x W x D) Body only	60" x 9.84" x 9.84" (1524 x 250 x 250 mm)
Dimensions (H x W x D) Body with base	60" x 10.24" x 10.24" (1524 x 260 x 260 mm)
Base plate thickness	3/8" (9.5 mm)
Fixation holes width	11/16" (18 mm)
Weight	33 lbs (15 kg)
Installation	Must be done by a licensed electrician
Limited warranty	1 year
Model number	ACPE000031-FL-P20



Basic Pedestal

Maximize your installation options to fit your home.

No garage? No problem! Our pedestals are perfect to extend your reach, wherever you park.

All pedestals include corrosion-resistant aluminum, IK10 impact resistance, and a 1-year limited warranty.

- Simple, durable solution that can support up to two (2) FLO Home EV chargers
- Convenient outdoor installation that is engineered for resilience with corrosion-resistant aluminum
- Black satin finish

TECHNICAL SPECIFICATIONS

Material	Aluminium
Finish	Powder coat paint
Colour	Absolute black
Mounting configurations	Single / back-to-back (max 2 units)
ADA compliant	Yes
Impact resistance	IK10
Installation bolt configuration	4 anchors / screw pile compatible
Dimensions (H x W x D) Body only	54" x 4" x 4" (1371.6 x 101.6 x 101.6 mm)
Dimensions (H x W x D) Body with base	54" x 9.8" x 9.8" (1371.6 x 250 x 250 mm)
Base plate thickness	1/4" (6.4 mm)
Fixation holes width	11/16" (17.8 mm)
Weight	12.1 lbs (5.5 kg)
Limited warranty	1 year
Model number	ACPE000030-FL-P17



FLO Home Accessories

Cable holster:



- Organize your charging setup by placing this additional holder wherever you need it.
- Wrap your cable and keep your connector protected when not in use.
- Choose from J1772 or NACS to meet your EV needs.
- Works with any FLO Home charger.
- Replacement for FLO Home X6 and X8 detachable charging connector & cable holder.

Model number J1772: ACPE000032-FL-P17

Model number NACS: ACPE000033-FL-P17



FLO Home X3, X6 or X8 replacement cable-connector:

- Premium-grade 25 ft cable, stays flexible in cold weather.
- Choose from J1772 or NACS connector.

Model number J1772 50A: ACCC1001F1

Model number NACS 50A: ACCC1002F2

Model number J1772 80A: ACCC1001D3



Wall Mount Bracket:

- Replacement wall mount bracket for FLO Home X3, X6, and X8.

Model number: ACMB000001

